



Science.
Applied to Life.™



**All your guests will see
is room to be brilliant.**

3M™ Floor Pads



Impressive results, lasting durability.


You know how difficult it is to maintain clean, safe and beautiful floors. It's an ongoing challenge that requires a commitment to excellence. That's why 3M created an integrated family of floor pads, designed to achieve superior results in less time.

Optimized construction makes for a solid foundation

Incorporating the latest innovations from 3M's leadership in abrasive technology, 3M™ Floor Pads are engineered to help reduce the cost of cleaning and maximize the effectiveness of your floor program. All while keeping waste to a minimum.

- Every 3M™ Floor Pad has been developed specifically to accomplish a particular floor maintenance task.
- Exceptionally durable, 3M™ Floor Pads maintain their effectiveness significantly longer than competitive floor pads and need to be replaced less often. That means fewer 3M pads wind up in landfills.

Discover how easy it is to provide a beautiful, lasting clean; quicker and more efficiently, with the 3M family of floor pads.



Every 3M™ Floor Pad has been developed specifically

Maintenance Operation	Equipment Speed		First Choice
Stripping To remove finish, sealer and contaminants from the floor surface.	Rotary or Automatic Low Speed 175–600 RPM		3M™ High Productivity Pad 7300 For the toughest stripping projects. Resists loading and clogging while quickly removing existing finishes. 2X better cut than competitive pads.
Scrubbing To provide a fresh new surface for finishing.	Rotary or Automatic Low Speed 175–600 RPM		Scotch-Brite™ Surface Preparation Pad Plus Long-lasting, high performance scrubbing pad. 2X faster finish removal than competitive pads when worn. Open fibers for less clogging and no backer pad is required*.
Cleaning To remove light soil and other contaminants.	Rotary or Automatic Low Speed 175–600 RPM		Scotch-Brite™ Clean & Shine Pad 2-in-1 daily cleaning pad for low-speed scrubbers that gradually increases shine with repeated use.
Buffing To remove scuffs and black heel marks and enhance floor appearance.	Rotary Low Speed 175–600 RPM		3M™ White Super Polish Pad 4100 Ideal for removing soil and scuff marks with minimal dulling. Also used to polish wood floors.
Burnishing To remove scuffs and marks, repair finish and improve gloss and image clarity.	Electric, Battery, Propane Ultra High Speed 1500 RPM & Above		3M™ Eraser Burnish Pad 3600 Removes black marks and returns gloss in fewer passes than other pads while producing less dust. Ideal for harder finishes and high traffic areas. Excellent durability and minimal finish removal.
Best Gloss	Electric, Battery, Propane Ultra High Speed 1500 RPM & Above		3M™ TopLine Speed Burnish Pad 3200 Optimizes ultra-high-speed burnishing on a variety of finishes. Removes black marks while generating gloss.
Soft Finish	Electric, Battery, Propane Ultra High Speed 1500 RPM & Above		3M™ Sky Blue Hi-Performance Burnish Pad 3050 Restores gloss to dull floors. Use for frequent burnishing with less dust, point buildup and burning. Longest life compared to competitive pads.
Stone Floor Conditioning To clean and condition worn and dull stone floors.	Rotary, Automatic, Electric, Battery or Propane Low to Ultra High Speed 175–1500 RPM & Above		Scotch-Brite™ Sienna Diamond Floor Pad Plus Diamond-coated floor pad for cleaning and conditioning worn and dull marble, terrazzo, slate and polished concrete flooring.
Stone Floor Polishing To clean and polish stone floors with medium shine in good condition.	Rotary, Automatic, Electric, Battery or Propane Low to Ultra High Speed 175–1500 RPM & Above		Scotch-Brite™ Purple Diamond Floor Pad Plus Diamond-coated floor pad for cleaning and polishing marble, terrazzo, slate and polished concrete flooring.

*Confirm pad driver compatibility with machine manufacturer before using without backer pad.

to accomplish a particular floor maintenance task.

Alternate Choices



3M™ Black Stripper Pad 7200
For consistent, proven performance, with a longer pad life. 40% more aggressive than competitive pads.



Scotch-Brite™ Surface Preparation Pad
Heavy-duty scrubbing for top coat removal prior to recoating.



3M™ TopLine Autoscrubber Pad 5000
Scrubs and cleans. Open construction resists clogging. Ideal for autoscrubbers.



3M™ Red Buffer Pad 5100
For everyday cleaning and light scrubbing. Removes light soil, scuff marks and black heel marks.



3M™ Natural Blend Tan Pad 3500
Removes marks and scuffs while polishing harder finishes and high-traffic surfaces. Blend of natural and synthetic fibers.



3M™ Natural Blend White Pad 3300
Provides consistent high gloss while minimizing swirl marks for a wide variety of finishes and traffic conditions. Blend of natural and synthetic fibers.



3M™ Aqua Burnish Pad 3100
Improves gloss on soft finishes.



3M™ Brown Stripper Pad 7100
A conformable stripping pad for uneven floors. Effectively strips 2–4 coats of existing finishes.



3M™ Blue Cleaner Pad 5300
Heavy-duty scrubbing of floors. 7X faster than competitive pads.



3M™ Red Buffer Pad 5100
For everyday cleaning and light scrubbing. Removes light soil, scuff marks and black heel marks.



3M™ Tan Burnish Pad 3400
Enhances gloss while removing scuffs and marks on harder finishes and high-traffic areas.



Greener Solutions


3M™ Floor Pads* are made with at least 50% post-consumer recycled materials and water-based latex resins. Plus, our packaging is 100% recyclable and made with 50–100% recycled content.

The polyester fiber used to make a range of floor pads* contains a minimum of 50% post-consumer recycled content. The recycled polyester fiber used is third-party certified for post-consumer recycled content.

*3M™ Brand Floor Pad families include: 3200, 3300, 3400, 3500, 3600, 5000, 5100, Sienna and Purple Diamond Pad.

Niagara™ Brand Floor Pad families include: 3300N, 3400N, 3500N, 3700N, 5100N, 5400N and 7200N.

Achieve a stunning reflection in less time, with less effort.



Fewer passes

Specially designed to improve productivity, 3M™ Floor Pads clean and scrub more effectively on each pass. So it takes less time to achieve the results you need.



Consistent performance

Many 3M™ Floor Pads have abrasive minerals distributed uniformly throughout the entire pad — inside and out. So even as they wear, you get consistent, high quality results.



Longer life

It takes 4X as many competitive pads to strip a floor compared to a 3M™ Stripping Pad. Longer-lasting floor pads need to be replaced less often, contributing to less waste in landfills.



Fewer chemicals


3M's abrasive technology is effective using only water for many floor maintenance operations.

3M™ Floor Pads outscrub, outshine and outlast competitive floor pads.

You can be confident that when you try 3M™ Floor Pads, they've been tested by customers throughout the world and scientists in the lab against competitive products in controlled conditions. The effectiveness of 3M™ Floor Pads has been proven to significantly outperform competitive floor pads consistently.


High Performance Stripping Pads

Innovative abrasive technology for efficient stripping.



3M™ Sky Blue Hi-Performance Burnish Pad 3050

After burnishing 350,000 ft² of flooring, pad weight loss was less than 15% versus 32% and 33% with competitive pads¹.



¹ Based on lab testing with battery burnisher.

The latest innovations from 3M

Scotch-Brite™ Clean & Shine Pad

Clean and shine in the same step.



Starting Appearance After Repeated Use


Effective with just water, the revolutionary Scotch-Brite™ Clean & Shine Pad gradually increases shine with each use, reducing or eliminating the need for burnishing.

Scotch-Brite™ Surface Preparation Pad Plus

You'll see and feel the difference.

The Scotch-Brite™ Surface Preparation Pad Plus provides the premium performance you've come to depend on from our surface preparation pads — PLUS it's even easier to use.

- ▶ Performs better than competitive pads throughout the life of the pad.
- ▶ Clogs less than competitive pads.
- ▶ No backer pad needed*.



Open fiber construction.

*Confirm pad driver compatibility with machine manufacturer before using without backer pad.

Floor Pad Competitive Cross-Reference Chart

	3M™ Floor Pads	Niagara™	Americo®/ Twister™	Norton® Abrasives	ACS/Scrubble®	ETC of Henderson, Inc.
STRIPPING	3M™ High Productivity Pad 7300	High Performance 7400N	The Dominator HP500	Ultra Blue Stripper High Productivity Black Strip	Midnight Blue - 75 Emerald Hy-Pro - 73	Razorback® Diamondback®
	3M™ Black Stripper Pad 7200	Black Stripping 7200N	Black Strip	Black Super Strip	Black Strip - 72	Black-Strip
	3M™ Brown Stripper Pad 7100	N/A	Brown Strip	N/A	Brown Strip - 71	Brown-Strip Boss Hawg®
SCRUBBING	Scotch-Brite™ Surface Preparation Pad Plus	N/A	N/A	N/A	N/A	N/A
	Scotch-Brite™ Surface Preparation Pad	Deep Scrubbing Pad	Maroon Conditioning Maroon EcoPrep EPP	Enviro Stripping Pad	Maroon Thin Line - 47	The Redwood®
	3M™ Blue Cleaner Pad 5300	Green Scrub 5400N Blue Cleaning 5300N	Green Scrub	Green Super Scrub Blue Super Clean	Green Scrubber - 55 Blue Cleaner - 53	Green-Scrub Blue-Cleaner
CLEANING	Scotch-Brite™ Clean & Shine Pad	N/A	Twister™ Green Twister™ Purple (SuperClean)	N/A	N/A	N/A
	3M™ TopLine Autoscrubber Pad 5000	N/A	Flamingo™ Auto Scrub	N/A	N/A	N/A
	3M™ Red Buffer Pad 5100	Red Buffing 5100N	Red Buff	Red Buffer Red Buff Plus	Red Buffing - 51	Gorilla® Red-Spray Buff
	3M™ White Super Polish Pad 4100	White Polishing 4100N	White Polish	White Super Polish	White Polishing - 41	Gorilla® White-Polish
BUFFING	3M™ Red Buffer Pad 5100	Red Buffing 5100N	Red Buff Tan Buff	Red Buffer Tan Buffer	Red Buffing - 51 Tan Buffer - 34	Gorilla® Red-Spray Buff Gorilla® Tan-Buffer
	3M™ White Super Polish Pad 4100	White Polishing 4100N	White Polish	White Super Gloss	White Polishing - 41	Gorilla® Soft White-Polish
BURNISHING ↑ Most Aggressive ↓ Least Aggressive	3M™ Eraser Burnish Pad 3600	N/A	Remover	Pink Topshine Burnish	Pink Burnishing - 36	N/A
	3M™ Natural Blend Tan Pad 3500	Natural Tan Hog's Hair 3500N Super Hog's Hair 3700N	Porko Natural Porko Plus Porko Extreme Buckaroo®	Ultra Grizzly Bear Grizzly	Natural Hair Blend Heavy - 37 Natural Hair Blend Medium - 35	Gorilla® 2001® Gorilla® Jaguar® 2001® Jaguar®
	3M™ Tan Burnish Pad 3400	Tan Burnishing 3400N	Image Beige Burnishing	Thermal Burnish	N/A	N/A
	3M™ Natural Blend White Pad 3300	Natural White Burnishing 3300N	Porko Elite Combo Natural Blue Blend CocoPad®	Grizzly Bear Lite	Natural Blend Light - 33 Natural Blue Hair Blend - 30	Gorilla Lite® 2001® Gorilla Lite® Blue Jay® 2001® Blue Jay® Superspeed Rubberized® 2001® Superspeed Rubberized®
	3M™ TopLine Speed Burnish Pad 3200	N/A	Aqua Burnishing Champagne	Thermal Burnish	Beige Poly Thermal	2001® Superspeed Rubberized®
	3M™ Aqua Burnish Pad 3100	Aqua Burnishing 3100N	Aqua Burnishing	Aqua Ultra	Aqua Burnishing - 31	Aqua Plus® 2001® Aqua Plus®
	3M™ Sky Blue Hi-Performance Burnish Pad 3050	N/A	Luster Lite	Mint Soft Burnish Lite Blue Burnish Champagne Polish & Burnish	Blue Velvet - 52	2001® Soft White Blue Ace®
STONE FLOOR MAINTENANCE	Scotch-Brite™ Sienna Diamond Floor Pad Plus	N/A	Twister™ White Twister™ Yellow	Medium Grit Fine Grit	Cyclone-D™ 800 Cyclone-D™ 1500	Diamond by Gorilla® 800 White Diamond by Gorilla® 1500 Yellow
	Scotch-Brite™ Purple Diamond Floor Pad Plus	N/A	Twister™ Green Twister™ Purple (SuperClean) Twister™ Gray (SuperGloss)	Very Fine Grit	Cyclone-D™ 3000	Diamond by Gorilla® 3000 Green Heat by Gorilla® Armadillo®



Commercial Solutions
3M Center, Building 220-12E-04
St. Paul, MN 55144-1000 USA
1-800-852-9722
3M.com/facility

© 3M 2018. All rights reserved. 3M, Niagara and Scotch-Brite are trademarks of 3M. Used under license in Canada. All other trademarks are property of their respective owners. Printed in USA. Please recycle. AUGUST 2018
78-8134-0420-5

Product Selection and Use: Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. As a result, customer is solely responsible for evaluating the product and determining whether it is appropriate and suitable for customer's application, including conducting a workplace hazard assessment and reviewing all applicable regulations and standards (e.g., OSHA, ANSI, etc.). Failure to properly evaluate, select, and use a 3M product and appropriate safety products, or to meet all applicable safety regulations, may result in injury, sickness, death, and/or harm to property. **Warranty, Limited Remedy, and Disclaimer:** Unless a different warranty is specifically stated on the applicable 3M product packaging or product literature (in which case such warranty governs), 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR ARISING OUT OF A COURSE OF DEALING, CUSTOM, OR USAGE OF TRADE. If a 3M product does not conform to this warranty, then the sole and exclusive remedy is, at 3M's option, replacement of the 3M product or refund of the purchase price. **Limitation of Liability:** Except for the limited remedy stated above, and except to the extent prohibited by law, 3M will not be liable for any loss or damage arising from or related to the 3M product, whether direct, indirect, special, incidental, or consequential (including, but not limited to, lost profits or business opportunity), regardless of the legal or equitable theory asserted, including, but not limited to, warranty, contract, negligence, or strict liability.